



Vanderbilt Assessment Scale, Follow-up: ADHD Toolkit Parent-Informant Form



Child's name: _____ Parent's name: _____

Date: _____ DOB: _____ Age: _____

Directions: Each rating should be considered in the context of what is appropriate for the age of your child. When completing this form, please think about your child's behaviors since you last rated them.

This evaluation is based on a time when your child: Was on medication Was not on medication Not sure

| Behavior | Never (0) | Occasionally (1) | Often (2) | Very Often (3) |
|---|-----------|------------------|-----------|----------------|
| 1. Does not pay attention to details or makes mistakes that seem careless with, for example, homework | | | | |
| 2. Has difficulty keeping attention on what needs to be done | | | | |
| 3. Does not seem to listen when spoken to directly | | | | |
| 4. Does not follow through on instructions and does not finish activities (not because of refusal or lack of comprehension) | | | | |
| 5. Has difficulty organizing tasks and activities | | | | |
| 6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort | | | | |
| 7. Loses things necessary for tasks or activities (eg, toys, assignments, pencils, books) | | | | |
| 8. Is easily distracted by noises or other stimuli | | | | |
| 9. Is forgetful in daily activities | | | | |

For Office Use Only
2s & 3s ____ /9

| | | | | |
|---|--|--|--|--|
| 10. Fidgets with hands or feet or squirms in seat | | | | |
| 11. Leaves seat when remaining seated is expected | | | | |
| 12. Runs about or climbs too much when remaining seated is expected | | | | |
| 13. Has difficulty playing or beginning quiet play games | | | | |
| 14. Is on the go or often acts as if "driven by a motor" | | | | |
| 15. Talks too much | | | | |
| 16. Blurts out answers before questions have been completed | | | | |
| 17. Has difficulty waiting his or her turn | | | | |
| 18. Interrupts or intrudes into others' conversations or activities or both | | | | |

For Office Use Only
2s & 3s ____ /9

Vanderbilt Assessment Scale, Follow-up: ADHD Toolkit Parent-Informant Form



Child's name: _____ Today's date: _____



| Behavior | Never (0) | Occasionally (1) | Often (2) | Very Often (3) |
|---|-----------|------------------|-----------|----------------|
| 19. Loses temper | | | | |
| 20. Is touchy or easily annoyed | | | | |
| 21. Is angry or resentful | | | | |
| 22. Argues with authority figures or adults | | | | |
| 23. Actively defies or refuses to adhere to requests or rules | | | | |
| 24. Deliberately annoys people | | | | |
| 25. Blames others for his or her mistakes or behaviors | | | | |
| 26. Is spiteful and wants to get even | | | | |

For Office Use Only
2s & 3s ___ / 8

| Academic and Social Performance | Excellent (1) | Above Average (2) | Average (3) | Somewhat of a Problem (4) | Problematic (5) |
|---|---------------|-------------------|-------------|---------------------------|-----------------|
| 27. Overall school performance | | | | | |
| 28. Reading | | | | | |
| 29. Writing | | | | | |
| 30. Mathematics | | | | | |
| 31. Relationship with parents | | | | | |
| 32. Relationship with siblings | | | | | |
| 33. Relationship with peers | | | | | |
| 34. Participation in organized activities (eg, teams) | | | | | |

For Office Use Only
4s ___ / 8

For Office Use Only
5s ___ / 8

Adapted from the Vanderbilt rating scales developed by Mark L. Wolraich, MD.

| Side effects: Has your child experienced any of the following side effects or problems in the past week? | Are these side effects currently a problem? | | | |
|--|---|------|----------|--------|
| | Never | Mild | Moderate | Severe |
| Headache | | | | |
| Stomachache | | | | |
| Change of appetite—Explain on the next page. | | | | |
| Trouble sleeping | | | | |
| Irritability in the late morning, late afternoon, or evening—Explain on the next page. | | | | |
| Socially withdrawn—that is, decreased interaction with others | | | | |
| Extreme sadness or unusual crying | | | | |
| Dull, tired, listless behavior | | | | |
| Tremors or feeling shaky or both | | | | |
| Repetitive movements, tics, jerking, twitching, or eye blinking—Explain on the next page. | | | | |
| Picking at skin or fingers, nail-biting, or lip or cheek chewing—Explain on the next page. | | | | |
| Sees or hears things that aren't there | | | | |

Side effects questions adapted from the Pittsburgh Side-Effects Rating Scale developed by William E. Pelham Jr, PhD.

Vanderbilt Assessment Scale, Follow-up: *ADHD Toolkit* Parent-Informant Form



Child's name: _____ Today's date: _____

Explanations and other comments:

For Office Use Only

Total number of questions scored 2 or 3 in questions 1–9: _____

Total number of questions scored 2 or 3 in questions 10–18: _____

Total number of questions scored 2 or 3 in questions 19–26: _____

Total number of questions scored 4 in questions 27–34: _____

Total number of questions scored 5 in questions 27–34: _____

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN®



The recommendations in this resource do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate. Original resource included as part of *Caring for Children With ADHD: A Practical Resource Toolkit for Clinicians*, 3rd Edition.

Inclusion in this resource does not imply an endorsement by the American Academy of Pediatrics (AAP). The AAP is not responsible for the content of the resources mentioned in this resource. Website addresses are as current as possible but may change at any time.

The American Academy of Pediatrics (AAP) does not review or endorse any modifications made to this resource and in no event shall the AAP be liable for any such changes.

© 2020 American Academy of Pediatrics. All rights reserved.